

Good. Safe. Yellow.

Klingspor Abrasive Mop Disc

SMT 314



Klingspor Schleifsysteme GmbH & Co. KG
Hüttenstraße 36 · 35708 Haiger · Germany
Fon +49 (0) 2773 922-0 · Fax +49 (0) 2773 922-186
sales@klingspor.de · www.klingspor.de



SMT 314 Extra



Properties

Grain	Aluminium oxide
Quality	Extra
Backing plate	Glass fibre
Design	Convex 12°

Applications















Recommended material	Steel, NF metals, wood
Machines	Angle grinder

Market segment

- ▶ Metal working
- ▶ Plant construction
- ▶ Steel construction

Advantages

- ▶ Good stock removal rate on unalloyed steels
- ▶ Also suitable for non-ferrous metals
- ▶ Good removal rate on angle grinders of all performance classes
- ▶ Klingspor abrasive mop discs are manufactured according to the oSa and EN13743 standards, this ensures the highest level of user safety

Diameter x Bore in mm	Form	Grit	Max. operating speed	Max. RPM	Cat. number.
115 x 22,23		36	80 m/s	13,300 rpm	322808
115 x 22,23		40	80 m/s	13,300 rpm	322809
115 x 22,23		60	80 m/s	13,300 rpm	322811
115 x 22,23		80	80 m/s	13,300 rpm	322812
115 x 22,23		120	80 m/s	13,300 rpm	322813
125 x 22,23		36	80 m/s	12,200 rpm	322814
125 x 22,23		40	80 m/s	12,200 rpm	322815
125 x 22,23		60	80 m/s	12,200 rpm	322817
125 x 22,23		80	80 m/s	12,200 rpm	322818
125 x 22,23		120	80 m/s	12,200 rpm	322819
180 x 22,23		36	80 m/s	8,500 rpm	322820
180 x 22,23		40	80 m/s	8,500 rpm	322821
180 x 22,23		60	80 m/s	8,500 rpm	322822
180 x 22,23		80	80 m/s	8,500 rpm	322823

**Klingspor Schleifsysteme
GmbH & Co. KG**

Hüttenstraße 36

35708 Haiger

Deutschland

Fon +49 (0) 2773 922-0

Fax +49 (0) 2773 922-280

Mail verkauf@klingspor.de

www.klingspor.de

