

Good. Safe. Yellow.

Diamond cutting blades for joint cutters

DT 902 B

Klingspor Schleifsysteme GmbH & Co. KG


Hüttenstraße 36 · 35708 Haiger · Germany

Fon +49 (0) 2773 922-0 · Fax +49 (0) 2773 922-280

verkauf@klingspor.de · www.klingspor.de



DT 902 B



Structure

Quality	Special
Design	Laser welded
Segmentation	Wide gullet
Aggression	■■■■■■■■■
Service life	■■■■■■■□
Max. operating speed	100 m/s

Applications

Material	<ul style="list-style-type: none">▶ Cured concrete▶ Cured concrete, reinforced
Market segments	<ul style="list-style-type: none">▶ Building construction and civil engineering▶ Road construction▶ Drilling and sawing companies
Machines	<ul style="list-style-type: none">▶ Joint cutter

Product utility

- ▶ First-rate cutting performance
- ▶ Ultra fast cutting speed
- ▶ Also suitable for concrete with strong reinforcement

Executions

Diameter x Bore in mm	Max. operating speed	Max. RPM	Machine	Segment in mm Number / Length / Width / Height	Cat. number
300 x 25,4	100 m/s	6,400 rpm	Joint cutter	18 / 40 / 2,8 / 11	325058
350 x 25,4	100 m/s	5,500 rpm	Joint cutter	21 / 40 / 3,2 / 11	325090
400 x 25,4	100 m/s	4,800 rpm	Joint cutter	24 / 40 / 3,4 / 11	325122
450 x 25,4	100 m/s	4,300 rpm	Joint cutter	26 / 40 / 3,7 / 11	325138
500 x 25,4	100 m/s	3,900 rpm	Joint cutter	30 / 40 / 3,7 / 11	325169

**Klingspor Schleifsysteme
GmbH & Co. KG**

Hüttenstraße 36

35708 Haiger

Deutschland

Fon +49 (0) 2773 922-0

Fax +49 (0) 2773 922-280

Mail verkauf@klingspor.de

www.klingspor.de

