

New. Improved. Yellow.

Diamond cutting blades for petrol
powered cutters

DT 600 U

Klingspor Schleifsysteme GmbH & Co. KG


Hüttenstraße 36 · 35708 Haiger · Germany

Fon +49 (0) 2773 922-0 · Fax +49 (0) 2773 922-280

verkauf@klingspor.de · www.klingspor.de



DT 600 U



► Short segments

Structure

Quality	Supra
Design	Laser welded
Segmentation	Short segments
Aggression	■■■■■□□
Service life	■■■■■□□
Max. operation speed	100 m/s

Anwendung

Material	<ul style="list-style-type: none"> ► Construction materials ► Concrete, universal ► Cured concrete, reinforced ► Chalky sandstone
Market segments	<ul style="list-style-type: none"> ► Installers ► Electricians ► Construction Industry
Machines	<ul style="list-style-type: none"> ► Petrol powered cutter

Product utility

- High cutting performance
- Long service life thanks to the use of premium-grade raw materials and diamonds
- Clean cutting edges
- Effortless cutting thanks to short serrated segments

Executions

Diameter x Bore in mm	Max. operating speed	Max. RPM	Machine	Segment in mm Number / Length / Width / Height	Cat. number
300 x 20	100 m/s	6.400 rpm	Petr.pow. cutter	32 / 24 / 2,8 / 10	325183
300 x 25,4	100 m/s	6.400 rpm	Petr.pow. cutter	32 / 24 / 2,8 / 10	325184
350 x 20	100 m/s	5.500 rpm	Petr.pow. cutter	37 / 24 / 3 / 10	325194
350 x 25,4	100 m/s	5.500 rpm	Petr.pow. cutter	37 / 24 / 3 / 10	325195
400 x 20	100 m/s	4.800 rpm	Petr.pow. cutter	43 / 24 / 3,2 / 10	325197
400 x 25,4	100 m/s	4.800 rpm	Petr.pow. cutter	43 / 24 / 3,2 / 10	325198

**Klingspor Schleifsysteme
GmbH & Co. KG**

Hüttenstraße 36

35708 Haiger

Deutschland

Fon +49 (0) 2773 922-0

Fax +49 (0) 2773 922-280

Mail verkauf@klingspor.de

www.klingspor.de

